

FOR A BETTER HOTEL EXPERIENCE

2010 LG HOTEL TV



LH200H SERIES

A FEATURE-PACKED INTERACTIVE CAPABLE TV
FOR THE EUROPEAN HOTEL MARKET



FOR A BETTER HOTEL EXPERIENCE

2010 LG HOTEL TV



LH250C SERIES

A TOP QUALITY COMMERCIAL HOTEL TV THAT'S
UNRIVALLED FOR EASE OF USE AND COST EFFICIENCY





LG Interactive Hotel TV

HOTEL DEDICATED FEATURES



Welcome Screen
Leave personalised welcome screen for your guests on their TV screens



Variable Speaker Out
Enjoy pristine sound in wherever your guests want to hear and control the TV



USB Player
Fast and Easy access to a personal collection of music, photos, videos and more



Hotel Mode
From channel selection to energy-saving functions, hoteliers are given in control

TOTAL COST BENEFITS



Invisible Clock
Streamlined clock design with alarm function seamlessly integrated on front



TV Link Loader
Easy to clone the settings from one to the other TVs with TV-link Loader as well as USB









Connectivity (Remote Jack Pack)
A multi-media interface to the room for guest's personal device use




Power Saving Mode
3 step power saving mode (High/Mid/Low) can save the power consumption up to 50%

DIMENSION



VESA Compatible (W x H)
22"-100 x 100, 26"/32"-200 x 100,
37"/42F"-200 x 200

Rear Jack Panel



LH200H SPECIFICATION

PANEL	Size	22"	26"	32"	37F"	42F"
	Resolution	1366 x 768			1920 x 1080	
	Brightness (cd/m ²)	350	450		500	
	Contrast Ratio	2500		3000		5000
	Dynamic Contrast Ratio	20,000:1	40,000:1			50,000:1
VIDEO	All Format Converter	1080p/1080i/720p/480p/480i → 768p			1080p/1080i/720p/480p/480i → 1080i	
	Color Temperature Control / CSM	3 Modes (Cool / Medium / Warm)				
	Picture Status Mode	8 Modes (Vivid / Standard / Natural / Cinema / Sport / Game / Expert 1 / Expert 2)				
	Tuner	DVB-T/C with MPEG4				
	XD Engine	●				
AUDIO	Dolby Digital Decoder	●				
	Audio Output	2 x 3W	2 x 5W	2 x 7W	2 x 10W	
	Invisible Speaker	●				
	EZ Sound / SSM	5 Modes (Standard / Music / Cinema / Sport / Game)				
FEATURES	Eye Care (Anti Dazzling)	●				
	JPEG View & MP3 Play at the same time	●				
	1080P Source Input	●				
	HD Divx	●				
	USB (2.0)	●				
COMMERCIAL	Installation Menu	●				
FEATURE	USB Cloning	●				
	TVLink Protocol	TVLink-Interactive / TVLink-Tuner / TVLink-Monitor / TVLink-IR / TVLink-CEC				
	External Power Out	●				
	External Speaker Out	● (TW/Stereo)		● (3W/Stereo)		
	RJP Interface	● (RJ45)				
	RGB Overlay	●				
	Power Saving Function	●				
	Video Mute	●				
	Multi IR Code	●				
	Power On Flash Image	●				
	Anti-theft System	●				
	VESA Mounting	●				
	RCU Battery Lock (ACC.)	●				
	Swivel	20				
INTERFACE	RF In	1				
	Component In(RCA jack)	1				
	A/V In (SCART)	1(Full)				
	RGB In	1				
	HDMI Input	2 (480p / 576p / 720p/1080i/1080p) - 1 Port PC Mode				
	RS-232C	●				
	RJP (RJ-45)	1				
POWER	Voltage, Hz	220V, 50 / 60Hz				
	Typical Consumption	41W	76.5W	89W	122W	165W
	High Power Saving Mode	23W	32W	36.5W	45.5W	55W
	Medium Power Saving Mode	32W	54.5W	64W	81W	110.5W
	Low Power Saving Mode	40W	73W	85W	116W	156W
	Stand-by / Clock On	0.5W / 1W				
	Extra Power Supply (RS-232C)	5V/12V @ 1.5A Selectable				
DIMENSION	SET (with stand, WxHxD, mm), Weight(Kg)	22": 533.4 x 397 x 171 / 4.8		37F": 922 x 659 x 297 / 14.4		
		26": 667 x 504 x 224 / 8.9		42F": 1028 x 715.4 x 297 / 17.4		
		32": 805 x 583 x 224 / 11.5				

LG Commercial Lite + Hotel TV

HOTEL DEDICATED FEATURES




Variable Speaker Out
Enjoy pristine sound in wherever your guests want to hear and control the TV



USB Player
Fast and Easy access to a personal collection of music, photos, videos and more



Hotel Mode
From channel selection to energy-saving functions, hoteliers are given in control



Multi IR Code
Control up to 9 TVs with a simple remote controller. Perfect for hospitals and care homes

TOTAL COST BENEFITS



Invisible Clock
Streamlined clock design with alarm function seamlessly integrated on front



TV Link Loader
Easy to clone the settings from one to the other TVs with TV-link Loader as well as USB









Connectivity (Remote Jack Pack)
A multi-media interface to the room for guest's personal device use




Power Saving Mode
3 step power saving mode (High/Mid/Low) can save the power consumption up to 50%

DIMENSION



VESA Compatible (W x H)
19"/22"-100x100, 26"/32"-200x100,
42F"-200x200

Rear Jack Panel



LH250C SPECIFICATION

PANEL	Size	19"	22"	26"	32"	42F"
	Resolution	1366 x 768				1920 x 1080
	Brightness (cd/m ²)	300	350	450	500	500
	Contrast Ratio	1000	2500	3000	5000	5000
	Dynamic Contrast Ratio	20,000 : 1		40,000 : 1		50,000:1
VIDEO	All Format Converter	[1080p/1080i/720p/480p/480i]				→ 1080p
	Color Temperature Control / CSM	3 Modes (Cool / Medium / Warm)				
	Picture Status Mode	8 Modes (Vivid / Standard / Natural / Cinema / Sport / Game / Expert 1 / Expert 2)				
	Tuner	DVB-T/C with MPEG4				
	XD Engine	●				
AUDIO	Dolby Digital Decoder	●				
	Audio Output	2 x 3W		2 x 5W	2 x 7W	2 x 10W
	Invisible Speaker	●				
	EZ Sound / SSM	5 Modes (Standard / Music / Cinema / Sport / Game)				
FEATURES	Eye Care (Anti Dazzling)	●				
	JPEG View & MP3 Play at the same time	●				
	1080P Source Input	●				
	HD Divx	●				
	USB (2.0)	●				
COMMERCIAL	Installation Menu	●				
FEATURE	USB Cloning	●				
	TVLink Protocol	TVLink-Tuner/TVLink-Monitor/TVLink-IR				
	External Power Out	-				
	External Speaker Out	● (1W/Stereo)		● (3W/Stereo)		
	RJP Interface	● (RJ45)				
	RGB Overlay	-				
	Power Saving Function	●				
	Video Mute	●				
	Multi IR Code	●				
	Power On Flash Image	-				
	Anti-theft System	●				
	VESA Mounting	●				
	RCU Battery Lock (ACC.)	●				
	Swivel	20				
INTERFACE	RF In	1				
	Component In(RCA jack)	1				
	A/V In (SCART)	1(Full)				
	RGB In	1				
	HDMI Input	2 (480p / 576p / 720p / 1080i / 1080p) - 1 Port PC Mode				
	RS-232C	●				
	RJP (RJ-45)	1				
POWER	Voltage, Hz	220V, 50 / 60Hz				
	Typical Consumption	25W	40W	76.5W	89W	165W
	High Power Saving Mode	16.5W	22W	32W	36.5W	55W
	Medium Power Saving Mode	21W	31W	54.5W	64W	110.5W
	Low Power Saving Mode	24W	39W	73W	85W	156W
	Stand-by / Clock On	0.7W / 2W		0.5W / 1.8W		
	Extra Power Supply (RS-232C)	-				
DIMENSION	SET(with stand, WxHxD, mm), Weight(Kg)	19" : 462.4 x 353 x 171 / 3.8		32" : 805 x 583 x 224 / 11.5		
		22" : 533.4 x 397 x 171 / 4.8		42F" : 1028 x 715.4 x 297 / 17.4		
		26" : 667 x 504 x 224 / 8.9				